

CERTIFICATE

Certificate holder	Studor Limited Studor House 13 Sheridan Terrace, Hove East Sussex BN3 5AE UNITED KINGDOM
Production facility	Dymotek, Ellington
Product	Air admittance valves for drainage systems
Type, Model	STUDOR Mini-Vent, STUDOR Mini-KNITS, OsmaVent 40
Testing basis	DIN EN 12380:2003-03 Certification scheme Air admittance valves for drainage systems (2003-10)
Mark of conformity	
Registration No.	011-7B003
Valid until	2018-12-31
Right of use	This certificate entitles the holder to use the mark of conformity shown above in conjunction with the specified registration number.

See annex for further information.

2013-11-27


Robert Zorn M.Sc.
Managing Director



ANNEX

Page 1 of 1

Certificate

011-7B003 dated 2013-11-27

Technical Data

Designation: A I

Airflow capacity: 7,5 l/s

Airtightness tested at: 30/500/10000 Pa

Range of temperature: -20 °C to +60 °C

Effectiveness at temperatures below 0 °C: -20 °C

Testing laboratory/ Inspection body

BRE Ltd
Bucksnales Lane, Garston
Watford
WD259XX
UNITED KINGDOM

NSF International
Field Services
789 N. Dixboro Road
Ann Arbor MI 48113
USA

Test report(s)

DE 661 X 215 TE 03.03.01 dated 2003-04-25
DE 661 X 215 dated 2008-02-01
NSF/ANSI Standard 14 (2004) Evaluation Form dated 2008-05-22
IN-PLANT AuditForm #125233 dated 2008-05-22
IN-PLANT 320386 dated 2009-09-21
BBRI 660X001 dated 2009-12-24
Factory inspection 320386 dated 2010-09-14
Factory inspection 320386 dated 2011-11-11
Factory inspection 320386 dated 2012-11-28
Product test 7311413-01 dated 2012-06-04
Factory inspection 3203860 dated 2013-11-01

